



BUSINESS & PRODUCTIVITY

A Window to the World

2022 H1



red**dot** winner 2021



Modern MD271C Series / Cubi 5 10M



PRO DP21 / Modern MD241P Series

PRO-Series Desktop



Model	PRO DP21 11MA	PRO DP130 11
Operating System	Windows 11 Home Windows 11 Pro	Windows 11 Home Windows 11 Pro
CPU	Intel® Core™ i7-11700 Intel® Core™ i5-11400 Intel® Core™ i3-10105 Intel® Pentium® Gold G6405	Intel® Core™ i7-11700 Intel® Core™ i5-11400 Intel® Core™ i3-10105
Chipset	Intel® H510	Intel® H510
GPU	Intel® UHD Graphics	NVIDIA® GeForce GTX 1650 4GT LP NVIDIA® GeForce GT 1030 2GD4 LP
Memory	2x DDR4 3200MHz SO-DIMMs, up to 64GB	2x DDR4 3200MHz U-DIMMs, up to 64GB
Storage	1x M.2 SSD (PCIe/SATA Auto-switch) 2x 2.5" HDD/SSD	1x M.2 SSD (PCIe/SATA Auto-switch) 1x 3.5" HDD
Wireless	Intel® Wi-Fi 6 AX201 + Bluetooth 5.2	Intel® AC 3168 + Bluetooth 4.2
I/O (Front)	4x USB 2.0 Type-A 1x Mic-in 1x Headphone-out	2x USB 3.2 Gen 1 Type-A 2x USB 2.0 Type-A 1x Mic-in 1x Headphone-out
I/O (Rear)	4x USB 3.2 Gen 1x1 Type-A 1x HDMI out (2.0) 1x DisplayPort out or in (1.4) 1x Mic-in 1x Line-out 1x RJ45 1x COM port	2x USB 3.2 Gen 1x1 Type-A 4x USB 2.0 Type-A 1x DisplayPort out (1.4) 1x HDMI out (2.0) 1x VGA out 1x Mic-in 1x Line-in 1x Line-out 1x RJ45 1x COM port 1x PS/2
Volume	2.3 L (4.05 pt)	13 L (27.47 pt)
Dimension (WxDxH)	204 x 208 x 54.8 mm (8.03 x 8.19 x 2.16 inch)	97 x 430.2 x 340 mm (3.82 x 17.32 x 13.39 inch)



Model	Cubi N JSL	Cubi 5 10M
Operating System	Windows 11 Home Windows 11 Pro	Windows 11 Home Windows 11 Pro
CPU	Intel® Pentium N6000 Intel® Celeron N4500	Intel® Core™ i7-10510U Intel® Core™ i5-10210U Intel® Core™ i3-10110U
Chipset	Intel® SoC	Intel® SoC
GPU	Intel® UHD Graphics	Intel® UHD Graphics
Memory (SO-DIMMs)	2x DDR4 2933MHz SO-DIMMs, up to 16 GB	2x DDR4 2666MHz SO-DIMMs, up to 64GB
Storage	1x M.2 SSD (PCIe/SATA Auto-switch) 1x 2.5" HDD / SSD or 1x M.2 SSD (either one)	1x M.2 SSD (PCIe/SATA Auto-switch) 1x 2.5" HDD / SSD
Wireless	Intel® Wi-Fi 6 AX201 + Bluetooth 5.2	Intel® Wi-Fi 6 AX201 + Bluetooth 5.2
I/O (Front)	2x USB 3.2 Gen 2x1 Type A 1x Mic-in/Headphone-out	1x USB 3.2 Gen 1x1 Type C 1x USB 3.2 Gen 1x1 Type A 1x Mic-in 1x Headphone-out
I/O (Rear)	2x USB 3.2 Gen1x1 Type A 1x HDMI out (1.4) 1x VGA out 1x RJ45	2x USB 3.2 Gen 1x1 Type A 2x USB 2.0 Type A 1x HDMI out (1.4) 1x DisplayPort out 1x RJ45
Volume	0.45 L (0.95 pt)	0.66 L (1.39 pt)
Dimension (WxDxH)	116 x 112 x 50.47 mm (4.57 x 4.40 x 1.99 inch)	124 x 124 x 53.7 mm (4.88 x 4.88 x 2.11 inch)
AC Adapter	65W	65W

All-in-One PC



Model	Modern AM271/P 11M	Modern AM242/TP 11M	PRO AP241 11M
Operating System	Windows 11 Home Windows 11 Pro	Windows 11 Home Windows 11 Pro	Windows 11 Home Windows 11 Pro
CPU	Intel® Core™ i7-1165G7 Intel® Core™ i5-1135G7	Intel® Core™ i7-1165G7 Intel® Core™ i5-1135G7 Intel® Core™ i3-1115G4 Intel® Pentium® Gold 7505	Intel® Core™ i7-11700 Intel® Core™ i5-11400 Intel® Core™ i3-10105 Intel® Pentium® Gold G6405
Chipset	Intel® SoC	Intel® SoC	Intel® H510
Display	27" IPS-LED Display	23.8" IPS-LED Display Modern AM242/TP: In-cell 10-point touch	23.8" IPS-LED Display
Resolution	1920 x 1080 FHD	1920 x 1080 FHD	1920 x 1080 FHD
GPU	Intel® UHD Graphics / Intel® Iris® Xe Graphics	Intel® UHD Graphics / Intel® Iris® Xe Graphics	Intel® UHD Graphics
Memory	2x DDR4 3200MHz SO-DIMMs, up to 64GB	2x DDR4 3200MHz SO-DIMMs, up to 64GB	2x DDR4 3200MHz SO-DIMMs, up to 64GB
Storage	1x M.2 SSD (NVMe PCIe / SATA Auto Switch) 1x 2.5" SSD/HDD with MSI Storage Rapid Upgrade Design	1x M.2 SSD (NVMe PCIe / SATA Auto Switch) 1x 2.5" SSD/HDD with MSI Storage Rapid Upgrade Design	1x M.2 SSD (NVMe PCIe / SATA Auto Switch) 1x 2.5" SSD/HDD
Speaker	2 x 2.5W	2 x 2.5W	2 x 3W
Wireless	Intel® Wi-Fi 6 AX201 + Bluetooth 5.2	Intel® Wi-Fi 6 AX201 + Bluetooth 5.2	Intel® Wi-Fi 6 AX201 + Bluetooth 5.2
I/O	2x USB 3.2 Gen 2 Type-C 2x USB 3.2 Gen 2 Type-A 2x USB 2.0 Type-A 1x Mic-in/Headphone-out combo 1x RJ45 LAN 1x HDMI out (2.0) 1x HDMI in	2x USB 3.2 Gen 2 Type C 2x USB 3.2 Gen 2 Type A 2x USB 2.0 Type A 1x Mic-in/Headphone-out combo 1x RJ45 LAN 1x HDMI out (2.0) 1x HDMI in	4x USB 3.2 Gen 1 Type A 2x USB 2.0 Type A 1x HDMI out (2.0) 1x Mic-in 1x Line-out 1x RJ45 1x COM port
Adjustment	AM271P: -4° ~ 20° (Tilt), 0 ~ 130 mm (Height) AM271: -5° ~ 15° (Tilt)	AM242TP/ AM242P: -4° ~ 20° (Tilt), 0 ~ 130 mm (Height) AM242/ AM242T: -5° ~ 15° (Tilt)	-5° ~ 15° (Tilt)
Web Cam	External	Built-in (support Windows Hello)	External
Wall Mount	Yes (75 x 75 mm)	Yes (75 x 75 mm)	No
AC Adapter	120W	120W	120W

PRO-Series Monitor



MP271C (27'')

- Curvature: Curved 1500R
- Brightness: 250 (cd/m2)
- Contrast Ratio: 4000:1
- Resolution: 1920 x 1080 (FHD)
- Response Time: 5ms (GTG)
- Refresh Rate: 75Hz (HDMI)
- sRGB: 97.7% (CIE 1976)
- Viewing Angle: 178°(H) / 178°(V)
- I/O: 1x HDMI (1.4b), 1x D-Sub (VGA), 1x Headphone-out
- Adjustment: Tilt: -3.5° ~ 21.5°
- Accessory: 1x HDMI Cable



MP271 (27'') / MP242 (23.8'')

- Brightness: 250 (cd/m2)
- Contrast Ratio: 1000:1
- Resolution: 1920 x 1080(FHD)
- Response Time: 5ms (GTG)
- Refresh Rate: 75Hz(HDMI only)
- sRGB: - (MP271) 93.1% (CIE 1976), - (MP242) 99.1% (CIE 1976)
- Viewing Angle: 178°(H) / 178°(V)
- I/O: 1x HDMI (1.4), 1x D-Sub (VGA), 1x Line-in, 1x Headphone-out
- Adjustment: Tilt: -5° ~ 23°



MP271P (27'') / MP242P (23.8'')

- Brightness: 250 (cd/m2)
- Contrast Ratio: 1000:1
- Resolution: 1920 x 1080(FHD)
- Response Time: 5ms (GTG)
- Refresh Rate: 75Hz(HDMI only)
- sRGB: - (MP271P) 93.1% (CIE 1976), - (MP242P) 99.1% (CIE 1976)
- Viewing Angle: 178°(H) / 178°(V)
- I/O: 1x HDMI (1.4), 1x D-Sub (VGA), 1x Line-in, 1x Headphone-out
- Adjustment: Tilt: -8° ~ 20°, Swivel: -30° ~ 30°, Pivot: -90° ~ 90°, Height: 0 ~ 120mm

Modern-Series Monitor



reddot winner 2021



178° Wide View Angle



Anti Flicker



Anti Glare



Adjustable Stand



Type C Display



Wall Mountable (Vesa 75x75mm)



Display KVM Support



Built-in Speakers (2xW)



TÜV certified



MD271CP / W (27")

- Curvature: Curved 1500R
- Brightness: 250 (cd/m2)
- Contrast Ratio: 3000:1
- Resolution: 1920 x 1080 (FHD)
- Response Time: 4ms (GTG)
- I/O:
 - 1x HDMI (1.4b)
 - 1x Type C (DisplayPort Alternate)
 - 1x Headphone-out
- Refresh Rate: 75Hz (HDMI & Type C)

- sRGB: 102% (CIE 1976)
- Viewing Angle:
 - 178°(H) / 178°(V)
- Adjustment:
 - Tilt: -5° ~ 20°
 - Swivel: -30° ~ 30°
 - Height: 0 ~ 110mm
- Accessory:
 - 1x HDMI Cable



MD271P / W (27")

- Brightness: 250 (cd/m2)
- Contrast Ratio: 1000:1
- Resolution: 1920 x 1080 (Full HD)
- Response Time: 5ms (GTG)
- I/O:
 - 1x HDMI (1.4)
 - 1x Type C (DisplayPort Alternate)
 - 1x Headphone-out
- Refresh Rate:
 - 75Hz (HDMI & Type C)

- sRGB: 104.61% (CIE 1976)
- Viewing Angle:
 - 178°(H) / 178°(V)
- Adjustment:
 - Tilt: -5° ~ 20°
 - Swivel: -30° ~ 30°
 - Pivot: -90° ~ 90°
 - Height: 0 ~ 110mm
- Accessory:
 - 1x HDMI Cable



MD241P / W (23.8")

- Brightness: 250 (cd/m2)
- Contrast Ratio: 1000:1
- Resolution: 1920 x 1080 (Full HD)
- Response Time: 5ms (GTG)
- Refresh Rate: 75Hz (HDMI & Type C)
- I/O:
 - 1x HDMI (1.4)
 - 1x Type C (DisplayPort Alternate)
 - 1x Headphone-out
- sRGB: 110.03% (CIE 1976)

- Viewing Angle: 178°(H) / 178°(V)
- Adjustment:
 - Tilt: -5° ~ 20°
 - Swivel: -30° ~ 30°
 - Pivot: -90° ~ 90°
 - Height: 0 ~ 110mm
- Accessory:
 - 1x HDMI Cable